

ONCE-DAILY
Austedo XR[®]
(deutetrabenazine)
extended-release
6 mg, 12 mg, 18 mg, 24 mg, 30 mg,
36 mg, 42 mg, and 48 mg tablets

teva Total Support

A patient support program to help you start and stay on your AUSTEDO XR[®] treatment journey



APPROVED USES

AUSTEDO XR[®] (deutetrabenazine) extended-release tablets and AUSTEDO[®] (deutetrabenazine) tablets are prescription medicines that are used to treat:

- the involuntary movements (chorea) of Huntington's disease. AUSTEDO XR and AUSTEDO do not cure the cause of the involuntary movements, and it does not treat other symptoms of Huntington's disease, such as problems with thinking or emotions.
- movements in the face, tongue, or other body parts that cannot be controlled (tardive dyskinesia).

It is not known if AUSTEDO XR and AUSTEDO are safe and effective in children.

IMPORTANT SAFETY INFORMATION

AUSTEDO XR[®] and AUSTEDO[®] can cause serious side effects in people with Huntington's disease, including: depression, suicidal thoughts, or suicidal actions. Do not start taking AUSTEDO XR or AUSTEDO if you are depressed (have untreated depression or depression that is not well controlled by medicine) **or** have suicidal thoughts. Pay close attention to any changes, especially sudden changes, in mood, behaviors, thoughts or feelings. This is especially important when AUSTEDO XR or AUSTEDO is started and when the dose is changed. Call your healthcare provider right away if you become depressed, have unusual changes in mood or behavior, or have thoughts of suicide.

Please see additional Important Safety Information throughout and [click here](#) to visit www.AUSTEDO.com to read or print the [Medication Guide](#) for AUSTEDO XR.



IT'S **SIMPLE** TO ENROLL IN TEVA **TOTAL SUPPORT**[™]

Teva Total Support is here to help you start and stay on **AUSTEDO XR**. From benefits verification and financial assistance options to nurses available to support you, we provide patients and care partner assistance at any point in the treatment journey.

Visit [TevaTotalSupportTD.com](https://www.TevaTotalSupportTD.com) to learn more about Teva Total Support



*Starting
treatment*

*Savings and
financial support*

*Staying on
treatment*

IMPORTANT SAFETY INFORMATION (CONTINUED)

Do not take AUSTEDO XR or AUSTEDO if you:

- have Huntington's disease and are depressed or have thoughts of suicide.
- have liver problems.
- are taking reserpine. **Do not** take medicines that contain reserpine with AUSTEDO XR or AUSTEDO. If your healthcare provider plans to switch you from taking reserpine to AUSTEDO XR or AUSTEDO, you must wait at least 20 days after your last dose of reserpine before you start taking AUSTEDO XR or AUSTEDO.

Please see additional Important Safety Information throughout and [click here](#) to visit www.AUSTEDO.com to read or print the [Medication Guide](#) for AUSTEDO XR.

STARTING TREATMENT

Help navigating insurance coverage

Patient Access Specialists:

- ✓ **Verify your insurance benefits** to help you understand your coverage and out-of-pocket costs
- ✓ **Work with your healthcare provider** to obtain assistance getting your prescription approved
- ✓ **Identify in-network pharmacies** to fulfill your prescription



89% of people taking AUSTEDO XR[®] are successfully approved for insurance coverage.

Personalized specialty pharmacy support

Patient Access Specialists coordinate with specialty pharmacies to:*

- ✓ **Ensure a smooth experience** and that your AUSTEDO XR is delivered on time
- ✓ **Provide refill support**, including shipping notifications and refill guidance
- ✓ **Provide additional services** to support you throughout your treatment journey

*Some insurance plans will require AUSTEDO XR prescriptions be fulfilled from a specialty pharmacy instead of a local retail pharmacy.

IMPORTANT SAFETY INFORMATION (CONTINUED)

- are taking a monoamine oxidase inhibitor (MAOI) medicine. **Do not** take an MAOI within 14 days after you stop taking AUSTEDO XR or AUSTEDO. **Do not** start AUSTEDO XR or AUSTEDO if you stopped taking an MAOI in the last 14 days. Ask your healthcare provider or pharmacist if you are not sure.
- are taking tetrabenazine. If your healthcare provider plans to switch you from tetrabenazine to AUSTEDO XR or AUSTEDO, take your first dose of AUSTEDO XR or AUSTEDO on the day after your last dose of tetrabenazine.
- are taking valbenazine.

Please see additional Important Safety Information throughout and [click here](#) to visit www.AUSTEDO.com to read or print the [Medication Guide](#) for AUSTEDO XR.

SAVINGS AND FINANCIAL SUPPORT

Financial support to start and stay on treatment

Whether you're on Medicare, privately insured, underinsured, or not insured at all, Patient Access Specialists will work through financial assistance options to help make treatment affordable.

~90% of patients pay \$10 or less with financial assistance offerings.



First prescription for new patients

New patients can start their **first 30 days free** with a **Free Trial Voucher**.[†]

Copay assistance

Eligible patients may pay as little as **\$0 per month** out of pocket for refill prescriptions with the **AUSTEDO XR Copay Card**.[‡]

To learn more, visit AustedoCardForm.com or call 1-800-887-8100.



[†]The 30-day Free Trial Voucher is only for new patients. Voucher is good for up to 4 weeks of titration or 30 days of medication.

[‡]Offer is only available to patients with commercial insurance. Offer is NOT available to patients eligible for Medicare, Medicaid, or any other government payer coverage. Out-of-pocket costs may vary. Exclusions and limitations apply. Please see complete Terms and Conditions at AUSTEDOCARDFORM.COM.

IMPORTANT SAFETY INFORMATION (CONTINUED)

Other possible serious side effects include:

- **Irregular heartbeat (QT prolongation).** AUSTEDO XR and AUSTEDO increases your chance of having certain changes in the electrical activity in your heart. These changes can lead to a dangerous abnormal heartbeat. Taking AUSTEDO XR or AUSTEDO with certain medicines may increase this chance.
- **Neuroleptic Malignant Syndrome.** Call your healthcare provider right away and go to the nearest emergency room if you develop these signs and symptoms that do not have another obvious cause: high fever, stiff muscles, problems thinking, very fast or uneven heartbeat, or increased sweating.
- **Restlessness.** You may get a condition where you feel a strong urge to move. This is called akathisia.
- **Parkinsonism.** Symptoms include: slight shaking, body stiffness, trouble moving, trouble keeping your balance, or falls.

Please see additional Important Safety Information throughout and [click here](#) to visit www.AUSTEDO.com to read or print the [Medication Guide](#) for AUSTEDO XR.

For those with Medicare



The Medicare Prescription Payment Plan allows you to spread your out-of-pocket drug costs into monthly payments.

The Extra Help program can reduce drug costs for people with limited income and resources. For those who qualify, AUSTEDO XR could be as low as \$0 per month.

To learn more, enroll in Teva Total Support. Visit [AUSTEDOXRsupport.com](https://www.austedoxr.com) or call 1-800-887-8100.



Teva Cares Patient Assistance Program

For patients who are uninsured or unable to afford AUSTEDO XR, the **Teva Cares Foundation** may be able to help. Teva Cares is an independent, non-profit program that provides AUSTEDO XR at no cost to eligible patients.[§]

To learn more, visit [TevaCares.org](https://www.tevacares.org) or call 1-877-237-4881.



[§]Patient must reside in the United States, meet insurance and income requirements, and have a valid prescription

IMPORTANT SAFETY INFORMATION (CONTINUED)


Sleepiness (sedation) is a common side effect of AUSTEDO XR and AUSTEDO. While taking AUSTEDO XR or AUSTEDO, do not drive a car or operate dangerous machinery until you know how AUSTEDO XR or AUSTEDO affects you. Drinking alcohol and taking other drugs that may also cause sleepiness while you are taking AUSTEDO XR or AUSTEDO may increase any sleepiness caused by AUSTEDO XR and AUSTEDO.

Please see additional Important Safety Information throughout and [click here](#) to visit [www.AUSTEDO.com](https://www.austedo.com) to read or print the [Medication Guide](#) for AUSTEDO XR.

STAYING ON TREATMENT



While taking AUSTEDO XR, you will be connected with a nurse dedicated to one-on-one support throughout your treatment journey.



Dedicated nurse support

Outreach calls

for goal setting and periodic check-ins to assess progress

Education

about your condition and what to expect from treatment

Assistance

with staying on treatment, including dosing and titration guidance

Tools and resources

to help you manage your treatment including refill guidance, refill management, and insurance coverage notifications

Welcome call

After enrollment, you can expect a welcome call from a Teva **Total Support** nurse.



These calls may come from an unknown or toll-free phone number. Be sure to answer the phone, listen to messages, and call back so they can help with your treatment journey.

READY TO GET STARTED?

Enroll in Teva Total Support

teva Total Support



1-800-887-8100

M-F, 9AM to 8PM ET

Or visit [AUSTEDOXRsupport.com](https://www.austedoxr.com)



IMPORTANT SAFETY INFORMATION (CONTINUED)

The most common side effects of AUSTEDO in people with Huntington's disease include sleepiness (sedation), diarrhea, tiredness, and dry mouth.

The most common side effects of AUSTEDO in people with tardive dyskinesia include inflammation of the nose and throat (nasopharyngitis) and problems sleeping (insomnia).

The most common side effects of AUSTEDO XR are expected to be similar to AUSTEDO in people with Huntington's disease or tardive dyskinesia.

These are not all the possible side effects of AUSTEDO XR or AUSTEDO. Call your doctor for medical advice about side effects. You are encouraged to report side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call **1-800-FDA-1088**.

Please see additional Important Safety Information throughout and [click here](#) to visit www.austedo.com to read or print the [Medication Guide](#) for AUSTEDO XR.